

Remote/Virtual Inspection Checklist

All of the stated requirements must be fulfilled, and the required items must be performed or provided via video or photo and submitted for review to the District prior to closing the installation and completing the job. Failure to provide advance notification and submissions will require the reopening of the installation for visual inspection at a later date, and the the installation will be failed on inspection until a re-inspection is possible.

The installing contractor must;

- Take clear pictures of the wye/tee connection, cleanout, check valve and the address of the property of sufficient quality and detail so that verification of proper installation and appropriate materials are possible.
- Measure and report the depth at the connection of the sewer main from the top of the pipe to the asphalt.

Take a picture of the measuring tape reading on the asphalt.

- Measure and report the distance from the face of the curb to the mainline connection.
- Provide proof of installation of two-way cleanouts as required.
- Provide proof of installation of the check valve as required.
- Measure, report and provide visual documentation of the depth of clean-out and check valve from the rim of the cover to the top of the pipe. Typically, a 12" minimum. is required for these installations.
- Take and provide one continuous video of the new lateral showing the resident's address as well as the distance reading in feet from the cleanout to the sewer main and the connection at the main.
- Drain Rock is required, and a 6-inch minimum depth below and above the lateral is required.
- Class II AB is the standard acceptable to the District.
- No ABS pipe is allowed in any installation, and use of this material will result in a failed inspection and the requirement to replace this material with materials acceptable to the District under the Code.

The Contractor must Email proof and documentation of all finished work before backfilling any project. Send emails to District Inspector at inspections@wcd.org

If you have any questions about this process or these requirements, please email the District Inspector at inspections@wcd.org or call at 510 662-3627